

Y:\4260100 LLANISHEN AND LISVANE RESERVOIR FOOTPATHS\04 PRODUCTION\Y19\2601-BUR-HPV-ZZ-DR-C-0701_PAVEMENTS.DWG

REFER TO 2601-BUR-GEN-ZZ-DR-C-0703 FOR CONTINUATION
MATCH LINE

LISVANE RESERVOIR

MATCH LINE
REFER TO 2601-BUR-GEN-ZZ-DR-C-0702 FOR CONTINUATION

Project:

LLANISHEN AND LISVANE
RESERVOIR FOOTPATHS

DRAWING NOTES:

1. DRAWING DETAIL IS IDICATIVE AND ISSUED FOR INFORMATION PURPOSES ONLY
2. ALL MEASUREMENTS ARE APPROXIMATE
3. ALL LEVELS ARE IN mOAD
4. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED
5. DRAWING TO BE READ IN CONJUNCTION WITH THE SCHEME REGISTER, CAF402-6500-CD16776-SE-U, TO ESTABLISH ALL SUPPORTING INFORMATION
6. CONTRACTOR TO ENSURE THAT THERE IS MINIMAL DISTURBANCE TO THE SSSI AND FUNGI AREAS BY CARRYING OUT ALL CONSTRUCTION WITHIN THE PROPOSED FOOTPATH CONSTRUCTION AREAS
7. FOOTPATH SURFACING IS TO BE INSTALLED IN ACCORDANCE WITH THE MANUAL OF CONTRACT DOCUMENTS FOR HIGHWAYS WORKS - VOLUME 1 SPECIFICATION FOR HIGHWAYS WORKS - SERIES 700 & 800.

LEGEND:

CONSTRUCTION TYPE A
SURFACE COURSE
-150mm THICK SELF BINDING GRAVEL
SUB-BASE COURSE
-150mm THICK MOT TYPE 1
GEOTEXTILE COURSE
-TERRAM 1000

SSSI BOUNDARY (GREEN)

CONSTRUCTION TYPE B

ALL CIVIL DIMENSIONS ARE IN METRES - ALL STRUCTURAL DIMENSIONS ARE IN MILLIMETRES - ALL LEVELS ARE IN METRES.

Checked By: R. TEESDALE Date: 08/11/19
Approved By: K. CRITCHLEY Date: 08/11/19
Drawn By: J. HEWITT Date: 08/11/19
Designed By: R. TEESDALE Date: 08/11/19

P3-S2	FUNGI AREA & PATH UPDATED	17/07/201	TP	KC
P2-S2	FUNGI AREA UPDATED	29/04/201	KY	KC
P1-S2	ORIGINAL ISSUE	15/11/18	JAH	RDT

REV	DESCRIPTION	DATE	DRW	CHK
-----	-------------	------	-----	-----

Drawing Title:

SERIES 700 - PAVEMENTS
GENERAL ARRANGEMENT
SHEET 1

Burroughs Project No.: 4260100 Scale: 1:500 Original Paper Size: A1

Drawing Number:

Project: 2601 -BUR-HPV- ZZ - DR - C - 0701

Status: S2 - FOR INFORMATION

Revision: P3.0 - FUNGI AREA & PATH UPDATED

This document is copyright of Burroughs Ltd. Use figured measurements only! DO NOT SCALE FROM DRAWING. Verify all dimensions prior to construction. Immediately report any discrepancies to Burroughs and if in doubt ASK. This drawing should be read in conjunction with all other associated project information