. 10cm - Caution as distortion can occur. MATCH LINE REFER TO 2601-BUR Burroughs LLANISHEN AND LISVANE RESERVOIR FOOTPATHS DRAWING NOTES: 1. DRAWING DETAIL IS IDICATIVE AND ISSUED FOR INFORMATION PURPOSES ONLY 2. ALL MEASUREMENTS ARE APPROXIMATE 4. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED 5. DRAWING TO BE READ IN CONJUNCTION WITH THE SCHEME REGISTER, CAF402-6500-CD16776-SE-U, TO ESTABLISH ALL SUPPORTING INFORMATION CONTRACTOR TO ENSURE THAT THERE IS MINIMAL DISTURBANCE TO THE SSSI AND FUNGI AREAS BY CARRYING OUT ALL CONSTRUCTION WITHIN THE PROPOSED FOOTPATH CONSTRUCTION AREAS FOOTPATH SURFACING IS TO BE INSTALLED IN ACCORDANCE WITH THE MANUAL OF CONTRACT DOCUMENTS FOR HIGHWAYS WORKS - VOLUME 1 SPECIFICATION FOR HIGHWAYS WORKS - SERIES 700 & 800. CONSTRUCTION TYPE A SURFACE COURSE -150mm THICK, SELF BINDING GRAVEL SUB-BASE COURSE
-150mm THICK, MOT TYPE 1
GEOTEXTILE COURSE
-TERRAM 1000 SSSI BOUNDARY (GREEN) RC SLIPWAY CONSTRUCTION TYPE B PROPOSED 2m WIDE (MIN.) SELF BINDING RESIN BUND CONSTRUCTION GRAVEL FOOTPATH (REFER TO 2601-BUR-HPV-ZZ-DR-C-0751 FOR TYPE B SECTION DETAIL) PROPOSED 2m WIDE (MIN.) SELF BINDING GRAVEL LOWER LEVEL FOOTPATH (REFER TO 2601-BUR-HPV-ZZ-DR-C-0751 FOR SECTION DETAIL) AWAITING CONFIRMATION PROPOSED 2m WIDE (MIN.) SELF BINDING GRAVEL LOWER LEVEL FOOTPATH (REFER TO 2601-BUR-HPV-ZZ-DR-C-0751 FOR SECTION DETAIL) 17/07/20 TP KC 29/04/20 KY KC 15/11/19 JAH RDT DATE DRW. CHK. P3-S2 FUNGI AREA & PATH UPDATED
P2-S2 FUNGI AREA UPDATED
P1-S2 ORIGINAL ISSUE
REV. DESCRIPTION SERIES 700 - PAVEMENTS GENERAL ARRANGEMENT SHEET 3 Burroughs Project No.: REFER TO 2601-BUR-GEN-ZZ-DR-C-0702 FOR CONTINUATION 1:500 A1 2601 -BUR-HPV- ZZ - DR - C - 0703

Burroughs, 4 Radnor Court, 256 Cowbridge Rd East, Cardiff, CF5 1GZ | Tel: 029 2064 7484 | www.burroughs.co.uk

FOR INFORMATION

FUNGI AREA & PATH UPDATED

This document is copyright of Burroughs Ltd. Use figured measurements only! DO NOT SCALE FROM DRAWING. Verify all dimensions prior to construction. Immediately report any discrepancies to Burroughs and if in doubt ASK. This drawing should be read inconjunction with all other associated project information

Revision: Revision Description: